

CRYSTIC® MONOMER C STYRENE MONOMER

Introduction

Crystic Monomer C is 100% styrene.

Applications

Crystic Monomer C is recommended for use as an additive for unsaturated polyester resin solutions.

Formulation

Crystic Monomer C should be added to the unsaturated polyester resin to give the required viscosity. Stir well by hand, or with a low shear mixer. Continue to use the polyester resin according to its individual product instructions.

Typical Properties

Property	Crystic Monomer C
Appearance	Colourless, free flowing liquid
Odour	Sweetish aromatic
Viscosity @ 20°C	2 centistokes
Specific Gravity @ 15°C	0.85

Storage

Crystic Monomer C should be stored in the dark in suitable closed containers. It is recommended that the storage temperature should be less than 20°C where practical, but should not exceed 30°C.

Packaging

Crystic Monomer C is supplied in 4kg containers, kegs and drums.

Storage and Health & Safety

Please see separate Material Safety Data Sheet.

Version: 1. April 2008.

SCOTT BADER COMPANY LIMITED

SCOTT BADER (Pty) Ltd Reg. No. 93/00466/07 1 Lubex Road, Hammarsdale 3700 P.O. Box 1539, Hillcrest, 3650 South Africa Tel: +27 (0) 31 736 8500 Fax: +27 (0) 31 736 8511

Freightpak Spartan Main Warehouse 3 Foreman Rd Spartan Ext 9 Tel: (086) 147 3746

Gauteng

KwaZulu Natal 1 Lubex Road, Hammarsdale

Tel: (086) 117 3746 Fax: (031) 736 8511 Eastern Cape Freightpak Building Chevrolet St Markman Industrial Port Elizabeth Tel: (086) 167 3746 Westem Cape Manhattan St Airport Industria Cape Town Tel: (086) 177 3746 Fax: (021) 386 1100